

Eaves and Ridge Pcs.

Commercial product name : Eaves and Ridge Pcs.	Manufacturer : Isola as N-3945 Porsgrunn, Norway
Area of use : Skråtak	AVCP System : 3
Notified body : SINTEF NO 1071	
Product standard : EN 544: Bitumen shingles with mineral and/or synthetic reinforcements. Product specification and test methods.	

Property	Method	Unit	Value
External fire performance according to EN 13501-5	EN 13501-1	-	Broof (t1), Broof (t2), Broof (t3)
Euro fire class according to EN 13501-1	CEN/TS 1187-2	-	E
Tensile strength MD	EN-544	N/50 mm	890 ± 200
Tensile strength CMD	EN-544	N/50 mm	690 ± 200
Tear resistance CMD	EN-544	N	120 ± 20
Durability of mechanical resistance	EN 1297	-	Pass
Adhesive of the protective finishing	-	g	<1,2
Dimensional variation (mm)	-	-	± 3
Flow resistance at elevated temperature after artificial ageing	EN-544	mm at 90 °C	< 2
Water absorption	EN-544	%	< 1
Water permeability/Content of bitumen	EN-544	g/m ²	1300
Dangerous Substances	-	-	Ingen

Notat 1: CPR art. 25, REACH Notat 2: Produktet inneholder ikke asbest eller komponenter av tjære

The product properties are in conformity with the declaration of performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer

Name and title	Place and date of issue	Signature
Trond Risberg Environmental- and Documentation Manager	Porsgrunn , 2022.11.14	